

DISCOVER
THE
WORLD
OF
LUXURY
EDCO

ENTDECKEN
SIE DIE
WELT DES
LUXUS
DURCH
EDCO

High Quality Real Glass



ELEGANT GLASS



الگانت شیشه

مدل الگانت شیشه ادکو ، همانطور که از نامش پیداست از مواد با کیفیت شیشه ای بوجود آمده است. برش های با دقت در گوشه های کادرها می تواند ظرافت این کار را به رخ بکشد.
محصولی درجه یک در تنوعی از رنگها که با رویه های پلاستیکی ادغام شده است.
همچنین ما آماده ارائه رنگهای خاص سفارشی برای پروژه های شاخص هستیم.



reddot design award
winner 2008




design award
winner
2012

Classic Color In Modern Style



ELEGANT METAL



الگانت فلز

کادرهای الگانت فلز، با پوششی از فلز که در انواع تیتانیوم، استیل براق، استیل خش دار، طلایی و طلایی آنتیک شده ارائه می شود، یک محصول کاملاً "صلب، که القاکننده ی سبک مدرن ناب است را به شما تقدیم می کند.



DESIGN **PLUS**

Bringing great design home



سری الگانت آنتیک

خطوط صاف و مریح با رنگهای کلاسیک آمیخته شده تا شما را در سر دوراهی مدرن و کلاسیک قرار دهد. پس با استفاده از این محصول، تضاد جذابی را، به رخ بیننده بکشید.



Harmonious interiors



AXENT



سری آگسنت

ظاهری قدرتمند، طراحی صنعتی آلمانی، که جسورانه خود را بروی دیوار نمایان می سازد و به شما یادآور می شود که گاهی خطوط و گرافیک هر چند ساده در کنار تولیدی آگاهانه و خردمندانه، محصولی جذاب، ماندگار و با کیفیت بوجود می آورد.

The Stylish Alternative

ANTIQUE PLASTIC



آنتیک پلاستیک

سری پلاستیک آنتیک، یک طراحی کلاسیک با رویه های پلاستیکی است و باعث شده تا در حین وقار، از لحاظ اقتصادی هم بهینه باشد.



DESIGN **PLUS**

A Real Piece Of Jewellery

ANTIQUE BRONZE



آنتیک برنز

محصولی که نامش نمایانگر ذاتش است.
یک کلید با ظاهری کاملاً کلاسیک که با وقار کامل خود را با محیط اطرافش وقف می دهد.
این محصول کیفیت ، زیبایی و ترکیب وصف ناپذیری را به شما ارائه می دهد.



DESIGN **PLUS**

Transforming spaces.
Transforming Lives



XCLASS GLASS



اڪس ڪلس شيشه

شيشه ڀاڪ، زلال و بي آلايش

او را به محيط زندگي شما دعوت مي كنيم تا يادآور پاكي توام با شگفتندگي بمانند قلب آدمي باشد.



Elegance your way



XCLASS METAL



اکس کلاس فلز
طراحی مدرن، مواد با کیفیت از جنس آلومینیوم و در نهایت رنگ آمیزی آن ، محصولی را به ارمغان می آورد که در حین، زیبایی دوام و ماندگاری بالایی را داشته باشد.



Love where you live

GOTHIC



سری گوتیک

طراحی گوتیک را با تکنولوژی همراه کردیم تا سبکی جدید را، در این خانواده از کلید و پریزها به شما ارائه دهیم.



Making Spaces Beautiful

VERTIGO



ور تیگو

یک کلید گرد ، با مکانیزم منحصر بفرد چرخشی
یک سنگ واقعی باریک با برش های ظریف که توسط یک فلز آبکاری شده با طلای ۲۴ عیار احاطه شده است.
این سری به واسطه ی طراحی خود به واقع، نماینده ی سبک زندگی اشرافی است.



Putting A Ray Of Sunshine In Your Interiors



SYSTEM STANDARD



بیشترین انعطاف و یکپارچگی در طراحی این مدل در نظر گرفته شده است.
سیستم هوشمند، کلید و پریز های سنتی، همه و همه با یک طرح و رنگ یکسان.
تنوع بسیار بالا از عملکردها و کادרהای با رنگ و مواد مختلف از جنس شیشه و فلز.



Your Space Infinite Possibilities



ANTIQUE BRONZE



هوشمند آنتیک

تکنولوژی را با ظاهری کاملاً کلاسیک به شما تقدیم می کنیم.
تنوعی از کلید و پریزهای سنتی به همراه کلیدهای هوشمند، شما را در طراحی خانه ای کاملاً کلاسیک که با استانداردهای زندگی امروزی مطابقت دارد همراه می سازد.



Good Design Is Obvious



E 1



- تاج پنل ترموستاتیک ۴۰۳ اینچ
کنترل کننده پیشرفته با صفحه نمایش ۴۰۳ لمسی خازنی برای کنترل قطعات با پروتکل KNX
- ۱ - قابلیت کنترل ۴۸ عملکرد در ۶ صفحه ی مجزا
 - ۲ - صفحات قابل طراحی توسط کاربر
 - ۳ - پشت زمینه ی قابل تغییر توسط کاربر
 - ۴ - تایمر برای ۴۸ عملکرد مختلف (هر عملکرد ۴ برنامه مجزا)
 - ۵ - قابلیت کنترل فرامین اضطراری (مانند دزدگیر، شکست شیشه، سنسور رطوبت و)
 - ۶ - دارای gesture با قابلیت عملکرد در حالت save mode
 - ۷ - کنترل کننده سناریو داخلی
 - ۸ - قابلیت اتصال دو ترموستات مجزا
 - ۹ - ورودی فرمان چند منظوره (قابل تنظیم بصورت ورودی binary و ورودی دما)
 - ۱۰ - دارای ترموستات
 - ۱۱ - دارای ساعت با باتری پشتیبان
 - ۱۲ - دارای پورت knx
 - ۱۳ - مصرف برق بسیار کم (ماکسیموم W۲)
 - ۱۴ - قابل نصب بصورت افقی و عمودی
 - ۱۵ - دارای رنگهای سفید و مشکی
- اتصالات پشت کنترلر
- ۱ - ورودی برق ۲۰-۳۰ ولت DC
 - ۲ - دکمه برنامه ریزی KNX
 - ۳ - چراغ برنامه ریزی KNX
 - ۴ - سوکت ۱ KNX TP
 - ۵ - سنسورهای دمای داخلی
 - ۶ - سوکت USB
 - ۷ - ورودی های چند منظوره
 - ۸ - باتری ذخیره کنترلر

Design Is Intelligence Made Visible



TOUCHZONE



تاچ پنل TOUCHZONE در سایزهای ۷، ۱۰، ۱۵، ۱۹ اینچ قابل ارائه می باشد.
دارای نمایشگر LED با صفحه ی لمسی خازنی است MULTITOUCH نیز می باشد .
این محصول ترکیبی است از کارانی های یک گوشی موبایل که با سیستم هوشمند در هم
آمیخته شده است . محیط تاچ پنل را می توان بصورت کاملا " سلیقه ای طراحی کرد و نهایتا" با
سیستم عامل اندروید به واقعیت تبدیل کرد .

قابلیت ها

- کنترل سیستم گرمایشی و سرمایشی ، نور ، پرده و ...
- کنترل سیستم صوتی منزل
- دارای پنل مدیریت انرژی ساختمان
- تماس های داخلی دفترکار و اتاق کنفرانس
- رابط کاربری OPTIMA برای کنترل از راه دور ساختمان
- دارای دو پورت USB و چهار پورت ورودی و خروجی دیجیتال
- ورودی برق ۳۲-۱۲ ولت DC
- اتصال به سیستم آیفون تصویری
- حذف نویز اطراف
- ورودی USB در زیر فرم صفحه نمایش
- دارای ورودی MICRO SD
- سنسور صفحه نمایش برای تنظیم نور صفحه نمایش

Creativity Is To Think More
Efficiently

TOUCHZONE




7"



9"



15"




19"

Only The Best For The Best



Making Spaces Beautiful



10"



7"



- اتصالات تاج پنل :
- تاج پنل به همراه بلندگوهای مخفی
 - قاب دور تاج پنل
 - چراغ وضعیت
 - میکروفن داخلی
 - ورودی برق کلی تاج پنل ۱۲ ولت DC
 - ورودی سوکت شبکه
 - ورودی سوکت KNX
 - ورودی سوکت RS-۴۸۵
 - ورودی سنسورهای مجزا
- تاج پنل هوشمند ۱۰۰۴ اینچ
- تاج پنل هوشمند ۱۰۰۴ اینچ رنگی تحت پروتکل knx برای کنترل کامل ساختمان ، دارای سیستم WEB SERVER ، اتصال آیفون تصویری .
- صفحه نمایش ۱۰۰۴ اینچ رنگی
 - دارای بلندگو و میکروفن داخلی
 - دارای ساعت داخلی با باتری پشتیبان
 - دارای قابلیت ترموستات
 - دارای پورت KNX
- قابلیتها :
- نقشه ساده و راحت برای محیط های مختلف ساختمان
 - قابلیت کنترل و نمایش قطعات KNX
 - کنترل سیستم گرمایش و سرمایش
 - کنترل سناریوها
 - برنامه زمان بندی هفتگی
 - نمایش آلارم و لیست آلارم
 - شبیه ساز حضور با قابلیت برنامه دهی روزانه و شبانه
 - عملکرد منطقی (گیت منطق، مقایسه، تایم)
 - سرور وب یکپارچه با قابلیت دسترسی به تاج پنل با کامپیوتر، تبلت ، و گوشی های هوشمند
 - نصب سیستم آیفون تصویری با قابلیت حذف صداهاى اضافه محیط
 - کنترل دوربین های مدار بسته
 - مصرف برق بسیار کم و حالت ذخیره انرژی
 - قابلیت تعویض فریم تاج پنل با طرح های مختلف

Design Is A Journey Of Discovery




DOMUS



DOMOS متناسب با هر طراحی داخلی است. فریم های این محصول را هر کسی می تواند به راحتی تعویض کند. فریم ها در ۱۵ رنگ می باشد و یا به صورت سفارشی میتوان از فریم های چوبی مثبت کاری شده ، قاب شیشه ای با سنگهای با ارزش SWAROVSKI یا چرمی را جایگزین کرد.

قابلیت ها

- صفحه نمایش Full HD در سایز های ۱۹-۱۵-۱۰ اینچ
- صفحه نمایش چند لمسی Multi Touch
- معماری سیستم باز با سیستم عامل Windows Embedded
- قابلیت به روز رسانی سیستم عامل
- رم داخلی DDR ۳ (قابل ارتقا تا ۴ گیگابایت)
- کارت گرافیک قدرتمند که ۳۰۰ % بالاتر از ATOM است
- صفحه نمایش های ۱۵ و ۱۹ اینچ دارای ۳D Visualization هستند
- محیط گرافیکال بالا



The Details Are Not The Details They Make The Design



DIVUS یک صفحه ی نمایشگر LED با صفحه ی لمسی خازنی از نوع WIDE می باشد.
که در سایزهای ۱۰ ، ۱۵ ، ۱۹ اینچ قابل ارائه می باشد و قابلیت کنترل قطعات و سیستم های مختلف تحت پروتکل KNX را برای شما فراهم می نماید.
صفحه ی نمایشگری که با در نظر گرفتن مصرف انرژی خود، به صورت کاملاً " اتوماتیک به حالت صرفه جویی در انرژی در می آید.
میکروفن ها و بلندگوهای تعبیه شده بر روی صفحه ی نمایش امکان ارتباط با هر سیستمی را برای شما امکان می سازد.

قابلیتها:

- سیستم VIDEO PHONE و VOIP
- قابلیت اتصال به سیستم آیفون تصویری
- ساپورت ۷۵۰ گروپ آدرس ، ۱۰۰ سناریو، ۱۰۰ توابع زمانی و ۱۰۰ توابع منطقی
- اتصال دوربین های مدار بسته
- پشتیبانی از سیستم های اندروید و IOS بروی تبلت و گوشی های هوشمند
- نقشه گرافیکال ساختمان
- کنترل سیستم سرمایشی و گرمایشی
- مصرف برق بسیار کم و حالت ذخیره انرژی

Harmonious interiors



DIVA



DIVA با طراحی منحصر به فرد ، پتلی باریک و با کیفیت که با محیط زندگی شما کاملاً سازگار است با تعریف فضا های مختلف یک ساختمان یا منزل با اجزای آن محیط ارتباط برقرار کنید . DIVA با صفحه نمایش ۲۲ LED Full HD تصویری جدید به زندگی شما میبخشد.


قابلیت ها

- سایز تاج پنل ۲۲ اینچ
- صفحه نمایش چند لمسی Multi Touch
- دارای دو بلندگو و میکروفون مخفی
- ارتباط با سیستم آیفون تصویری
- دارای CPU قدرتمند
- سیستم مدیریت انرژی و بهروری انرژی
- فریم فلزی با تنوع رنگ
- محیط گرافیکال بالا

Bringing great design home




Mirror



MIRROR یک ترکیب نوآورانه از یک پنل لمسی و یک آینه با سطح کیفیتی بالا می باشد. اگر کاربر تا ۱ دقیقه با سیستم کار نکند به صورت اتوماتیک تبدیل به آینه می شود. و با یک لمس کوچک روی آینه تصویر تاج پتل نمایان می شود. این تاج پتل در سایز های ۱۵ و ۱۹ اینچ قابل عرضه می باشد.

- قابلیت ها
- مصرف برق فوق العاده پایین ۲۰ وات
- صفحه نمایش LED با کنتراست بالا
- CPU – ATOM 1.6 GHz
- بلندگو و میکروفون های با کیفیت و قابلیت حذف نویز محیط
- قابلیت نصب سیستم آیفون تصویری و هر گونه ارتباطات صوتی
- سیستم VoIP , Video Phone
- کنترل تمامی قطعات مرتبط با پروتکل KNX
- رابط گرافیکی بالا
- پنل ضد آب



UNIVERSAL INSERTS



ED3111-0000

Switch function: 1-pole 1-way
Device mounting: Flush
Fixing mode: By screws and claws
[Ue]rated current: 250V
Rated current: 10AX
Number of rocker: 1



ED3116-0000

Switch function: 1-pole 2-way
Device mounting: Flush
Fixing mode: By screws and claws
[Ue]rated current: 250V
Rated current: 10AX
Number of rocker: 1



ED3115-0000

Switch function: 2-circuits
Device mounting: Flush
Fixing mode: By screws and claws
[Ue]rated current: 250V
Rated current: 10AX
Number of rocker: 2



ED2400-0000

Outlet poles configuration: 2P + E
Wiring device mounting: Flush
Fixing mode: By screws and claws
[Ue]rated voltage: 250V
Rated current: 16AX
Connection terminals: Screw terminal



ED4538

Outlet function: IAE/UAE 8/8 (4/4) UP 0
double-jacks for two connections
pearl white (similar RAL 1013)
Screw terminal: 1x4-way
Device mounting: Flush
Fixing mode: By screws and claws
Voltage: 125V DC



ED463501

Outlet function: RJ 12 telephone
socket insert Screw terminal: 1x4-way
Device mounting: Flush
Fixing mode: By screws



ED3117-0000

Switch function: intermediate
Device mounting: Flush
Fixing mode: By screws and claws
[Ue]rated current: 250V
Rated current: 10AX
Number of rocker: 1



ED3136-0000

Switch function: 2-way
Device mounting: Flush
Fixing mode: By screws and claws
[Ue]rated current: 250V
Pilot lamp: locator
Rated current: 10AX
Number of rocker: 1



ED3135-0000

Switch function: 2-circuits
Device mounting: Flush
Fixing mode: By screws and claws
[Ue]rated current: 250V
Pilot lamp: locator
Rated current: 10AX
Number of rocker: 2



ED465810

Outlet function: RJ 45, cat 6, UTP data
socket insert
Screw terminal: 1x8-way
Device mounting: Flush
Fixing mode: By screws



ED4539

Outlet function: IAE/UAE 8/8 (4/4) UP 0
double-jacks for two connections
pearl white (similar RAL 1013)
Screw terminal: 2x4-way
Device mounting: Flush
Fixing mode: By screws and claws
Voltage: 125V DC



ED465811

Outlet function: RJ 45, CAT 6, UTP
data socket insert
Screw terminal: 2x8-way
Device mounting: Flush
Fixing mode: By screws



ED3137-0000

Switch function: intermediate
Device mounting: Flush
Fixing mode: By screws and claws
[Ue]rated current: 250V
Pilot lamp: locator
Rated current: 10AX
Number of rocker: 1



ED3126-0000

Switch function: Double 2-way
Device mounting: Flush
Fixing mode: By screws and claws
[Ue]rated current: 250V
Pilot lamp: locator
Rated current: 10AX
Number of rocker: 2



ED3150-0000

Switch function: 1-way-push button
Device mounting: Flush
Fixing mode: By screws and claws
[Ue]rated voltage: 250V
Rated current: 10AX
Contacts type: 1 NO
Number of rocker: 1



ED4586

Outlet poles configuration: FCC socket outlet,
8-pole, shielded
Wiring device mounting: Flush
Fixing mode: By screws
72 V= 0,5 A
Transmission bandwidth up to 500 MHz
Signal contact resistance 20 mOhm
Shield contact resistance 100 mOhm
Shield contacting 360 °
Conductor diameter 0,4 - 0,63 mm (AWG 26-22)
Installation depth 31 mm
Cat. 6A, class EA, shielded according to ISO/IEC
11801 A2
Design according to E DIN IEC 60603-7-5
Protective screen according to DIN EN 55022
class B
Colour codes A and B according to EIA/TIA 568A

- housing out of tin diecasting
- for RJ11, RJ12 and RJ45 plugs
- suitable for PoE+
- with screen contacting 360° and cable clamp
- with 45° oblique outlet
- flexible cable routing
- External eyelets on the supporting ring can be broken off for round designs without spreader claws with LSA + terminals



ED4587

Outlet poles configuration: FCC socket outlet,
8-pole, shielded
Wiring device mounting: Flush
Fixing mode: By screws
72 V=, 0,5 A
Transmission bandwidth up to 500 MHz
Signal contact resistance 20 mOhm
Shield contact resistance 100 mOhm
Shield contacting 360 °
Conductor diameter 0,4 - 0,63 mm (AWG 26-22)
Installation depth 31 mm
Cat. 6A, class EA, shielded according to ISO/IEC
11801 A2
Design according to E DIN IEC 60603-7-5
Protective screen according to DIN EN 55022
class B
Colour codes A and B according to EIA/TIA 568A

- housing out of tin diecasting
- for RJ11, RJ12 and RJ45 plugs
- suitable for PoE+
- with screen contacting 360° and cable clamp
- with 45° oblique outlet
- flexible cable routing
- External eyelets on the supporting ring can be broken off for round designs without spreader claws with LSA + terminals



ED465706

Outlet function: RJ45, CAT 6, STP8/8
Screw terminal: 2x8-way
Device mounting: Flush
Cable entry: Cable gland
Fixing mode: By screws

- housing out of tin diecasting
- for RJ11, RJ12 and RJ45 plugs
- suitable for PoE+
- with screen contacting 360° and cable clamp
- with 45° oblique outlet



ED316101

Switch function: 1-way-push button
Device mounting: Flush
Fixing mode: By screws and claws
[Ue]rated voltage: 250V
Rated current: 10AX
Local signalling: LED
Contacts type: 1 NO
Number of rocker: 1



ED352000

Insert function: Buzzer
Device mounting: Flush
Fixing mode: By screws



ED352001

Insert function: Melody signalling
Device mounting: Flush
Nominal voltage: 230 V AC/50-60 Hz
Push button Inputs: 3
Programmable
melodies per input: 5
Max push button
connections per
input:
push button (make contact): 10
push button (with orientaton light): 3(1 mA)

UNIVERSAL INSERTS



ED466919

Outlet function: audio socket insert
Insert color: white
Terminal: 1 pair , pressure (red and black)
Device mounting: flush
Fixing mode: by screws and claws



ED467919

Outlet function: audio socket insert
Insert color: white
Terminal: 2 pair , pressure (red and black)
Device mounting: flush
Fixing mode: by screws and claws



ED466914

Outlet function: audio socket insert
Insert color: black
Terminal: 1 pair , pressure (red and black)
Device mounting: flush
Fixing mode: by screws and claws



ED467014

Outlet function: audio socket insert
Insert color: black
Terminal: 2 pair , pressure (red and black)
Device mounting: flush
Fixing mode: by screws and claws



ED576799

Insert type: Triac type insert
For resistive loads such as incandescent lamps,
230 V halogen lamps
Control type: movement detector
Fixing mode: By screws and claws
Power range: 40...300 W
Rated voltage/current: 230 V AC /1.3 A Max
A maximum of two electronic switch inserts can be
switched parallel.



ED576897

Insert type: Triac type insert
For capacitive, inductive, resistive loads
Control type: movement detector
Fixing mode: By screws and claws
Power range: 0...1000 W
Rated voltage/current 230 V AC /4.3 A Max



ED5133-0000

Dimmer type: rotary/push button dimmer
Switch function: 1-pole 2-way
Fixing mode: By screws and claws
Power range: 40...600 W conventional transformer
40...600 W 230V AC halogen lamp
40...600 W incandescent lamp
Rated current/voltage: 10A-230 V AC
Protection type: Fuse protection (6.3 A)



EEDS 01F

Outlet function: TV-SAT aerial outlet (terminal)
2 outlets for SAT(F female) and TV/RF(IEC male)
Device mounting: Flush
Fixing mode: By screws and claws
Output attenuation: 1db



EGDS 08F/11F

Outlet function: TV-SAT aerial outlet (pass through)
2 outlets for SAT(F female) and TV/RF(IEC male)
Device mounting: Flush
Fixing mode: By screws and claws
Output attenuation: EGDS 08F(8db)
EGDS 11F(11db)



EDFS 01

Outlet function: TV-FM aerial outlet (terminal)
2 outlets for TV(IEC male) and TV/RF(IEC female)
Device mounting: Flush
Fixing mode: By screws and claws
Output attenuation: 1db



EDFS 12

Outlet function: TV-R OUTLET (pass through)
2 outlets for TV (IEC male) and TV/RF(IEC female)
Device mounting: Flush
Fixing mode: By screws and claws
Output attenuation: 12db

HOTEL FUNCTIONS



ED587092

Insert function: LED light signal
LED color: Red/green
Device mounting: Flush
Fixing mode: By screws
[Ue]rated current: 250V
Rated current: 10AX



ED3760-0000

Switch function: Push button insert, make
contact, 1 pole for keycard, illuminated
Device mounting: Flush
Fixing mode: By screws and claws
[Ue]rated current: 250V
Rated current: 6AX
Number of rocker: 1



ED3715-0000

Switch function: Roller shutter insert
Interlocking: Electrical/mechanical
Device mounting: Flush
Fixing mode: By screws and claws
[Ue]rated current: 250V
Rated current: 10AX
Number of rocker: 2



ED213300

115-230 Volt Shaver socket insert

Elegant Cover Plates



Central plate with window

- ED587419
- ED587014
- ED587060



Hotel key card holderow

- ED315619
- ED315414
- ED315460



Rocker 2-gang marked for DND

- ED432619
- ED435614
- ED435660



Central plate for shaver socket

- ED213619
- ED213514
- ED213560

Antique Cover Plates



Central plate with window

- ED585844
- ED585819



Illuminated Rocker

- ED315344
- ED315319



Hotel key card holder

- ED412619



Central plate for shaver socket

- ED213444
- ED213419

ELEGANT COVER PLATES

				
Rocker ○ ED432119 ● ED433114 ● ED433160	Rockers ○ ED432519 ● ED433514 ● ED433560	Illuminated Rocker ○ ED436019 ● ED431014 ● ED431060	Illuminated Rockers ○ ED438519 ● ED437514 ● ED437560	Rocker with light symbol ○ ED438919 ● ED439914 ● ED439960
				
Rocker with bell symbol ○ ED438819 ● ED439814 ● ED439860	Rocker with light symbol (illuminated) ○ ED435919 ● ED430914 ● ED430960	Rocker with bell symbol (illuminated) ○ ED435819 ● ED430814 ● ED430860	Buzzer cover ○ ED352419 ● ED352014 ● ED352060	45 degree center plate for Tel / Data socket ○ ED296219 ● ED298314 ● ED298360
				
2 x 45 degree center plate for Tel / Data socket ○ ED296119 ● ED298014 ● ED298060	Center plate with dust protection slider ○ ED469819 ● ED465814 ● ED465860	Center plate with dust protection sliders ○ ED469919 ● ED466514 ● ED466560	Center plate for aerial socket 2-and 3-hole ○ ED296719 ● ED297514 ● ED297560	3 x Cinch / S-video socket Center plate and mechanism ○ ED3315328989 ● ED3315411606 ● ED3315411404
				
Center plate for Audio and USB charging socket ○ ED296019 ● ED297914 ● ED297960	Center plate for Audio and USB charging socket ○ ED296019 ● ED297914 ● ED297960	SCHUKO socket outlet center plate and mechanism ○ ED2401-0319 ● ED2401-0414 ● ED2401-0460	SCHUKO socket outlet with hinged cover plate and mechanism ○ ED2340-0319 ● ED2340-0414 ● ED2340-0460	Center plate with setting knob for rotary dimmer ○ ED5250-0319 ● ED5250-0414 ● ED5250-0460
				
Movement detector 2.2 m ○ ED568819 ● ED568714 ● ED568760	Movement detector 1.1m ○ ED575519 ● ED578414 ● ED578460	Movement detector 1.1m with on / off / Auto switch ○ ED572819 ● ED578514 ● ED578560	High definition socket outlet with mechanism ○ ED3315428989 ● ED3315421404 ● ED3315431606	Center plate for VGA socket with mechanism ○ ED3315418989 ● ED3315411606 ● ED3315411404

 **Center plate for loud speaker with mechanism**
○ ED28828989
● ED28829909
● ED28828916

 **Radio touch and loud speaker**
○ ED28808989
● ED28809909
● ED28808916

ANTIQUE COVER PLATES

				
Rocker ● ED412143 ● ED412144 ○ ED412119	Rockers ● ED412543 ● ED412544 ○ ED412519	Rocker with light symbol (illuminated) ● ED437943 ● ED437944 ○ ED437919	Rocker with bell symbol (illuminated) ● ED437843 ● ED437844 ○ ED437819	Rocker with bell labeling Field ● ED412346 ● ED412344 ○ ED412319
				
Center plate with setting knob for rotary dimmer ● ED5250-4143 ● ED5250-4019 ○ ED5250-4044	Buzzer cover ● ED352343 ● ED352344 ○ ED352319	Center plate with dust protection slider ● ED466443 ● ED466444 ○ ED466419	Center plate with dust protection sliders ● ED466643 ● ED466644 ○ ED466619	45 degree center plate for Tel / Data socket ● ED292644 ○ ED433160
				
2 x 45 degree center plate for Tel / Data socket ● ED292643 ● ED292644 ○ ED292160	Center plate for aerial socket 2-and 3-hole ● ED294143 ● ED294144 ○ ED294119	SCHUKO socket outlet center plate and mechanism ● ED2330-4143 ● ED2330-4044 ○ ED2330-4019	SCHUKO socket outlet with hinged cover plate and mechanism ● ED2510-4143 ● ED2510-4044 ○ ED2510-4019	Center plate for Audio and USB charging socket ● ED297843 ● ED297844 ○ ED297819
				
Center plate for Audio and USB charging socket ● ED297843 ● ED297844 ○ ED297819	Illuminated Rocker ● ED438043 ● ED438044 ○ ED438019	Movement detector 2.2 m ● ED566944 ○ ED566919	Movement detector 1.1m ● ED578644 ○ ED578619	Movement detector 1.1m with on / off / Auto switch ● ED579544 ○ ED579519

ELEGANT FRAMES



Pure white/glass,1gang EG0201
Pure white/glass,2gang EG0202
Pure white/glass,3gang EG0203
Pure white/glass,4gang EG0204



Black/glass,1gang EG0211
Black/glass,2gang EG0212
Black/glass,3gang EG0213
Black/glass,4gang EG0214



Silver/glass,1gang EG0221
Silver/glass,2gang EG0222
Silver/glass,3gang EG0223
Silver/glass,4gang EG0224



Brown aluminium/black inner frame,1 gang EDXMRB611
Brown aluminium/black inner frame,2 gang EDXMRB612
Brown aluminium/black inner frame,3 gang EDXMRB613
Brown aluminium/black inner frame,4 gang EDXMRB614



Silver aluminium/white inner frame,1 gang EDXMSW411
Silver aluminium/white inner frame,2 gang EDXMSW412
Silver aluminium/white inner frame,3 gang EDXMSW413
Silver aluminium/white inner frame,4 gang EDXMSW414



Brown/glass,1gang EG0231
Brown/glass,2gang EG0232
Brown/glass,3gang EG0233
Brown/glass,4gang EG0234



Mahogany/glass,1gang EG0241
Mahogany/glass,2gang EG0242
Mahogany/glass,3gang EG0243
Mahogany/glass,4gang EG0244



Titanium,1gang EM4431
Titanium,2gang EM4432
Titanium,3gang EM4433



Silver aluminium/black inner frame,1 gang EDXMSB411
Silver aluminium/black inner frame,2 gang EDXMSB412
Silver aluminium/black inner frame,3 gang EDXMSB413
Silver aluminium/black inner frame,4 gang EDXMSB414



Silver aluminium/silver inner frame,1 gang EDXMSS411
Silver aluminium/silver inner frame,2 gang EDXMSS412
Silver aluminium/silver inner frame,3 gang EDXMSS413
Silver aluminium/silver inner frame,4 gang EDXMSS414



Polished chrome,1gang EM1411
Polished chrome,2gang EM1412
Polished chrome,3gang EM1413



Stainless Steel,1gang EM3421
Stainless Steel,2gang EM3422
Stainless Steel,3gang EM3423



Polished gold,1gang EM1401
Polished gold,2gang EM1402
Polished gold,3gang EM1403



Black aluminium/black inner frame,1 gang EDXMBB711
Black aluminium/black inner frame,2 gang EDXMBB712
Black aluminium/black inner frame,3 gang EDXMBB713
Black aluminium/black inner frame,4 gang EDXMBB714




White glass/white inner frame,1 gang EDXGWW211
White glass/white inner frame,2 gang EDXGWW212
White glass/white inner frame,3 gang EDXGWW213
White glass/white inner frame,4 gang EDXGWW214

Antique Frames



Brushed bronze,1gang AM2711
Brushed bronze,2gang AM2712
Brushed bronze,3gang AM2713
Brushed bronze,4gang AM2714



Polished gold,1gang AM1401
Polished gold,2gang AM1402
Polished gold,3gang AM1403
Polished gold,4gang AM1404



Black glass/black inner frame,1 gang EDXGBB211
Black glass/black inner frame,2 gang EDXGBB212
Black glass/black inner frame,3 gang EDXMBB713
Black glass/black inner frame,4 gang EDXMBB714

Ghajar - Azimi Building
Architecture: Nikbakht



Haj Mohamadi Building
Architecture: Mani Tajvar



Baran Tower
Architecture: Mr Abedini



Hoseyn Moradi Building
Architecture: Nikbakht



Dogholooh Tower
Architecture: Mrs Akbarieh



Client: Hojati
Architecture: Davoodi



Eshghabadi Building
Architecture: Farzad Daliri



Mehregan Building
Architecture: Mosa Panah



Fazlollahi Building
Architecture: Omid Gholampour



Ozgoli Building
Architecture: Saedi




Golfeshan Building
Architecture: M.Mahtab & M.Forohide & M.Golfeshan



Naderi & Hakimian Building
Architecture: Shadi Seyed Sagha




Bam Niloofar
BAM GROUP



Karim Zadeh Building
Architect: Shah Hosseini




Zafar Khah Vila
Architecture: Mahmoudi




Kazemi Building
Architecture: Nik Bakht



Allahyari Building



Eshgh Abadi Building
Architecture: Farzad Daliri



Armin Vafai Building
Architecture: Mr Makuie, Mr Majidi, Mr Vafai, Mrs Azim




Rahimi Building
Architecture: Rahimi




Asalgo Building
Architecture: Dr Mansouri



Haj Ghasem Building
Architecture: Haj Ghasem



Arjomandi Building
Architecture: Arjomand



Dr Mirkhan Building
Architecture: Balouchi



Client: Masoodnia



Client: Falah



Daryaye Noor Building
Client: Goodarzi 3



Client: Ghahreman
Consultant: Rostam Beigi



Client: Khosro Panah



Client: Daneshvar



Client: Daneshvar 2



Bam Nasrin Building
BAM GROUP



Mehregan Building
Architecture: Mousapanah



Client: Moradi



Client: Nakhayee



Client: Azizi
Architecture: Farzad Daliri



Client: Goodarzi




Architecture: Nakhayee 2


Client: Zafarghandi
Architecture: Farzad Daliri



Sana Center
Client: Motahari



Narpad Project
Client: Goodarzi




Armani Project
Client: Ansari



Client: Borhani
Architecture: Aslani

Client: Jamali





Client: Hajmohammadi
Architecture: Mani Tajvari



Client: Hajmirza
Architecture: Omid Gholampour



Client: Fathi
Architecture: Daliri



Client: Daneshvar

